

Polymer Add (Thailand) Co; Ltd.

ALS-877		Technical Datasheet

Chemical Name	ALUMINIUM STEARATE			
Grade Name	ALS-877			
CAS No.	637-12-7			
HS Code	29157050			
EINECS No.	206-101-8			
Molecular Formula	C18H37AIO4			
Synonyms				
TEST		SPECIFICATION	METHOD	
Appearance		White Free Flowing Powder	Visual	
Moisture %		? 1.5	Oven drying at 105 Deg (3-12) hours.	

Product Information:

- · Aluminium stearate is used as lubricant in metal processing.
- It is used to dry, emulsify and thicken paints and cosmetics.
- During production of Thermoplastic Polymer resins Stearates are used as Acid scavengers to neutralize residual catalyst.

Product Handling & safety:

Please refer to our product MSDS for specific instructions on handling this product.

Product Registration: Aluminium stearate is not approved for use in food contact products.				
Title: Chapter: Subchapter: Part: Subpart: Section:				

Product Disclaimer

Important : This statement supersedes any Buyers documents. Seller makes no representation, Warranty, Express or Implied, Including of Merchantability of Fitness for a particular use, or purpose.

No statement herein is to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence breach of warranty, strict liability, and tort or contact rising in connection with product(s). Buyers sole remedy and Sellers sole Liability for any claims shall be buyers purchase price. Data and results are based on controlled or lab work and must be confirmed by the buyer by testing for its indented conditions of use.

This product is not been tested for, and is therefore not recommended for, use for which prolonged contact with mucous membranes, abraded skin, or blood is intended, or for use for which implantation within human body is intended.