

Polymer Add (Thailand) Co.,Ltd.

Office - 106, Chalarempriakiat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250

Factory - 188/3, Moo 8, Tambon Bangpu Mai, Amphoe Muang Samut Prakan, Samutprakan, Thailand 10280

Mobile - Thai : 0804531391, English: 0839415475, E-mail – contact@polymeradd.co.th



SAFETY DATA SHEET (SDS)

Product Name: AUTOCOAT MICROBLEND A90

1. Identification of the Substance/Mixture and of the Company/Undertaking

Field	Information
Product Name	AUTOCOAT MICROBLEND A90
Relevant Identified Uses	Micronized additive blend for powder coating – automotive applications
Uses Advised Against	Not intended for pharmaceutical or food use unless tested and certified
Supplier	Polymer Add (Thailand) Co., Ltd
Office Address	106, Chalarempriakiat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250
Factory Address	188/3, Moo 8, Bangpu Mai, Muang Samut Prakan, Samutprakan, Thailand 10280
Mobile (Thai)	0804531391
Mobile (English)	0839415475
Email	contact@polymeradd.co.th

2. Hazards Identification

Field	Description
Classification (CLP)	Not classified under Regulation (EC) No. 1272/2008
Classification (67/548/EEC)	Not classified
Label Elements	No hazard pictograms or signal words required
Supplemental	EUH210: Safety data sheet available on request

3. Composition/Information on Ingredients

Substance	CAS Number	Function	% w/w
Micronized PE Wax	9002-88-4	Surface slip agent, anti-scratch and anti-blocking agent	55%
Micronized PTFE (optional)	9002-84-0	Improves abrasion resistance and low-friction surface	10%
Silica-treated PE Wax	9002-88-4 / 112945-52-5	Anti-caking, enhances powder flow and storage stability	15%
Synthetic Amide Wax	68953-58-2	Matting aid and smoothness enhancer	10%
Fumed Silica (R972 type)	112945-52-5	Flow modifier and anti-caking agent	2%
Antioxidant 1010	6683-19-8	Thermal stabilizer during powder processing	3%
Moisture Scavenger (optional)	471-34-1 / 112926-00-8	Absorbs moisture in powder system, enhances shelf stability	5%

Polymer Add (Thailand) Co.,Ltd.

Office - 106, Chalaremprikat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250

Factory - 188/3, Moo 8, Tambon Bangpu Mai, Amphoe Muang Samut Prakan, Samutprakan, Thailand 10280

Mobile - Thai : 0804531391, English: 0839415475, E-mail – contact@polymeradd.co.th



4. First Aid Measures

- **General Advice:** No specific hazards under normal industrial use.
- **Inhalation:** Move to fresh air. Seek medical attention if symptoms persist.
- **Skin Contact:** Wash with soap and water. If irritation occurs, consult a physician.
- **Eye Contact:** Rinse with clean water for several minutes. Seek medical advice if irritation persists.
- **Ingestion:** Rinse mouth. Do not induce vomiting. Seek medical advice if discomfort occurs.

5. Firefighting Measures

- **Extinguishing Media:** Use dry chemical, foam, CO₂, or water spray.
- **Fire Hazards:** May emit CO, CO₂, and fluorinated compounds upon thermal decomposition. Fine powder may form explosive dust-air mixtures.
- **Protective Equipment:** Firefighters should wear self-contained breathing apparatus and full protective clothing.

6. Accidental Release Measures

- **Personal Precautions:** Avoid generating dust. Use personal protective equipment (mask, goggles, gloves).
- **Environmental Precautions:** Avoid release to water bodies or drains.
- **Clean-Up Methods:** Sweep or vacuum without raising dust. Collect in suitable containers. Dispose according to local regulations.

7. Handling and Storage

- **Handling:** Avoid inhalation and contact with eyes or skin. Use in well-ventilated areas. Prevent dust formation.
- **Storage:** Store in a cool, dry, well-ventilated area. Keep containers tightly closed and away from moisture and oxidizing agents.

8. Exposure Controls / Personal Protection

Field	Information
OEL (TWA)	No specific limit; follow general dust limits (10 mg/m ³ inhalable, 5 mg/m ³ respirable)
Engineering Controls	Use local exhaust ventilation and dust collection systems
PPE	Dust mask (P2), chemical-resistant gloves, safety goggles
Environmental Controls	Prevent environmental contamination or release to drains

Polymer Add (Thailand) Co.,Ltd.

Office - 106, Chalaremprikat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250

Factory - 188/3, Moo 8, Tambon Bangpu Mai, Amphoe Muang Samut Prakan, Samutprakan, Thailand 10280

Mobile - Thai : 0804531391, English: 0839415475, E-mail – contact@polymeradd.co.th



9. Physical and Chemical Properties

Property	Value
Appearance	White to light grey free-flowing powder
Odour	None to faint waxy
pH (1% dispersion)	Not applicable
Melting Point Range	100 – 140 °C (blend basis)
Boiling Point	Not applicable
Flash Point	Not applicable
Flammability	Combustible as fine powder
Vapour Pressure	Negligible
Relative Density	0.35 – 0.45 g/cm ³
Solubility in Water	Insoluble
Decomposition Temperature	>200 °C
Explosive Properties	Dust explosion risk under airborne conditions

10. Stability and Reactivity

- **Stability:** Stable under normal conditions of use and storage.
- **Hazardous Reactions:** None known under normal processing.
- **Incompatible Materials:** Strong oxidizing agents and acids.
- **Decomposition Products:** CO, CO₂, hydrocarbons, PTFE decomposition products (fluorinated gases).

11. Toxicological Information

Test	Result
Oral LD ₅₀ (rat)	>2000 mg/kg (estimated, based on components)
Skin Irritation	Not irritating
Eye Irritation	May cause mild mechanical irritation
Sensitization	Not expected
Carcinogenicity	Not listed by IARC, NTP, or OSHA

12. Ecological Information

Organism	Test	Result
Fish	LC ₅₀ (96 h, estimated)	>100 mg/L
Daphnia	EC ₅₀ (48 h)	>100 mg/L
Algae	EC ₅₀ (72 h)	>100 mg/L

Conclusion:

- Not expected to bioaccumulate
- Poor water solubility
- Not readily biodegradable
- Avoid direct discharge into the environment

Polymer Add (Thailand) Co.,Ltd.

Office - 106, Chalaremprikat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250

Factory - 188/3, Moo 8, Tambon Bangpu Mai, Amphoe Muang Samut Prakan, Samutprakan, Thailand 10280

Mobile - Thai : 0804531391, English: 0839415475, E-mail – contact@polymeradd.co.th



13. Disposal Considerations

- **Product Waste:** Dispose in accordance with applicable local/national regulations.
- **Contaminated Packaging:** Clean thoroughly before reuse or dispose as solid waste.
- **Waste Code (EU): 07 06 99** – Wastes not otherwise specified

14. Transport Information

Mode	Classification	Remarks
ADR/RID (Road/Rail)	Not regulated	Not classified as dangerous goods
IMDG (Sea)	Not regulated	Not a marine pollutant
ICAO/IATA (Air)	Not regulated	Not restricted
DOT (USA)	Not regulated	Not hazardous for transport

15. Regulatory Information

- **REACH:** Exempt or pre-registered
- **CLP (EC No. 1272/2008):** Not classified
- **Inventories:** All ingredients listed or compliant with TSCA, DSL, AICS, IECSC, ENCS, KECI, PICCS, NZIoC

16. Other Information – AUTOCOAT MICROBLEND A90

- **SDS Version: 1.0 / 2025**
- **Date of Preparation: August 2025**
- **Reason for Issue: First SDS issued for micronized technical blend**

Abbreviations:

CAS – Chemical Abstracts Service

CLP – Classification, Labelling and Packaging

REACH – Registration, Evaluation, Authorisation and Restriction of Chemicals

LD₅₀ – Median Lethal Dose

EC₅₀ – Half Maximal Effective Concentration

Disclaimer:

This SDS is provided for industrial handling and transportation purposes only. It does not serve as a product specification or guarantee. Polymer Add (Thailand) Co., Ltd shall not be held liable for misuse or mishandling. Final responsibility lies with the user.