Polymer Add (Thailand) Co.,Ltd.

Office - 106, Chalaremprakiat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250

Factory - 188/3, Moo 8, Tambon Bangpu Mai, Amphoe Muang Samut Prakan, Samutprakan, Thailand 10280

Mobile - Thai: 0804531391, English: 0839415475, E-mail – contact@polymeradd.co.th



SAFETY DATA SHEET (SDS)
Product Name: VCIGUARD MM55

Micronized VCI Additive Blend - Multi-Metal Protection for Paper and Powder Coatings

1. Identification of the Substance/Mixture and of the Company/Undertaking

Field	Information
Product Name	VCIGUARD MM55
Synonyms	Micronized VCI Additive Blend – Multi-Metal Protection for Paper and Powder Coatings
Recommended Uses	VCI additive for multi-metal protection in paper coatings, powder coatings, paints
Manufacturer	Polymer Add (Thailand) Co., Ltd
Office Address	106, Chalaremprakiat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250
Factory Address	188/3, Moo 8, Bangpu Mai, Muang Samut Prakan, Samutprakan, Thailand 10280
Mobile (Thai)	0804531391
Mobile (English)	0839415475
Email	contact@polymeradd.co.th

2. Hazards Identification

Field	Description
Classification(GHS)	Not classified as hazardous under GHS.
Hazards	Dust may cause mild eye or respiratory irritation.
Signal Word	None

3. Composition/Information on Ingredients

Component	% w/w	CAS No.
Benzoate salt complex	25%	-
Sodium Succinate	10%	150-90-3
Monoammonium Phosphate	10%	7722-76-1
Hydrophobic Fumed Silica	1%	67762-90-7
Micronized Calcium Carbonate	54%	471-34-1

Polymer Add (Thailand) Co.,Ltd.

Office - 106, Chalaremprakiat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250

Factory - 188/3, Moo 8, Tambon Bangpu Mai, Amphoe Muang Samut Prakan, Samutprakan, Thailand 10280

Mobile - Thai: 0804531391, English: 0839415475, E-mail – contact@polymeradd.co.th



4. First Aid Measures

- Inhalation: Move to fresh air. If breathing is difficult, seek medical attention.
- **Skin:** Wash with soap and water.
- Eyes: Flush with water. Seek medical advice if irritation persists.
- Ingestion: Rinse mouth. Do not induce vomiting.

5. Firefighting Measures

- Extinguishing Media: Water spray, dry chemical, foam, CO₂.
- Hazards: Decomposition may release ammonia (MAP) and CO₂.
- Protection: Use SCBA and protective gear.

6. Accidental Release Measures

- Personal precautions: Avoid creating airborne dust.
- Environmental precautions: Sweep up or vacuum.
- Clean-up methods: Avoid release to drains or environment.

7. Handling and Storage

- Handling: Use with local exhaust ventilation to avoid dust accumulation.
- Storage: Store sealed in a dry, cool place under 35 °C.

8. Exposure Controls / Personal Protection

Field	Information
Exposure Limits	Total dust 10 mg/m³, respirable dust 3 mg/m³.
PPE	Gloves, goggles, dust mask.

9. Physical and Chemical Properties

Property	Value
Appearance	White to beige fine powder
Odour	Mild
Particle Size (D100)	<20 μm
Moisture Content	< 0.5%
Bulk Density	~0.45–0.60 g/cm³

10. Stability and Reactivity

- Stability: Stable under recommended conditions.
- Conditions to Avoid: Avoid oxidizing agents and high humidity.

Polymer Add (Thailand) Co.,Ltd.

Office - 106, Chalaremprakiat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250

Factory - 188/3, Moo 8, Tambon Bangpu Mai, Amphoe Muang Samut Prakan, Samutprakan, Thailand 10280

Mobile - Thai: 0804531391, English: 0839415475, E-mail – contact@polymeradd.co.th



11. Toxicological Information

Test	Result
Acute Toxicity	Low toxicity.
Skin/ Eye Irritation	Dust may irritate eyes and respiratory tract.
Carcinogenic	Not carcinogenic

12. Ecological Information

- Persistence/Degradability: Avoid bulk release to water.
- Bioaccumulation: No bioaccumulation expected.

13. Disposal Considerations

 Product/packaging: Dispose in accordance with local regulations. Do not dispose via sewage.

14. Transport Information

Mode	Remarks
UN Classification	Not classified as dangerous goods (ADR/IMDG/IATA).
Special precautions	Not regulated for transport

15. Regulatory Information

• Classification: All components comply with applicable regulatory requirements.

• Inventories: BTA-free, nitrite-free.

16. Other Information

Document Ref: VCIGUARD MM55 MSDS v1.0

Issue Date: August 2025

Prepared by: Polymer Add Thailand

Recommended dosage: 1.0-5.0 wt% in PE formulations.

Packaging: 10 kg PE-lined kraft bags; optional 5 kg HDPE sealed; 500 kg/pallet.

Disclaimer: Provided in good faith. User must confirm suitability.

This SDS is provided for industrial handling and transportation purposes only. It does not serve as a product specification or guarantee. Polymer Add (Thailand) Co., Ltd shall not be held liable for misuse or mishandling. Final responsibility lies with the user.