Office - 106, Chalaremprakiat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250

Factory - 188/3, Moo 8, Tambon Bangpu Mai, Amphoe Muang Samut Prakan, Samutprakan, Thailand 10280

Mobile - Thai: 0804531391, English: 0839415475, E-mail – contact@polymeradd.co.th



## **SAFETY DATA SHEET (SDS)**

Product Name: MAGNESIUM STEARATE (Micronized)

**CAS Number:** 557-04-0

## 1. Identification of the Substance/Mixture and of the Company/Undertaking

Field	Information	
Product Name	MAGNESIUM STEARATE (MICRONIZED)	
CAS Number	557-04-0	
Relevant Identified Uses	Lubricant, release agent, anti-caking and anti-adherent additive in	
	plastics, rubber, coatings, powders, and masterbatches	
Uses Advised Against	Not intended for pharmaceutical or food use unless specifically	
	tested and qualified	
Supplier	Polymer Add (Thailand) Co., Ltd	
Office Address	106, Chalaremprakiat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet,	
	Bangkok, Thailand 10250	
Factory Address	188/3, Moo 8, Bangpu Mai, Muang Samut Prakan, Samutprakan,	
	Thailand 10280	
Mobile (Thai)	0804531391	
Mobile (English)	0839415475	
Email	contact@polymeradd.co.th	

## 2. Hazards Identification

Field	Description
Classification (CLP)	Not classified as hazardous under Regulation (EC) No. 1272/2008
Classification (67/548/EEC)	Not classified
Label Elements	No pictograms, signal words, or hazard statements required
Supplemental	EUH210: Safety data sheet available on request

## 3. Composition/Information on Ingredients

Substance	CAS No	EC No	Purity
Magnesium Stearate	557-04-0	209-150-3	≥ 98%

## 4. First Aid Measures

- General Advice: No specific hazards under normal industrial use.
- Inhalation: Move to fresh air. Seek medical attention if symptoms persist.
- Skin Contact: Wash with soap and water. If irritation develops, consult a doctor.

Office - 106, Chalaremprakiat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250

Factory - 188/3, Moo 8, Tambon Bangpu Mai, Amphoe Muang Samut Prakan, Samutprakan, Thailand 10280

Mobile - Thai: 0804531391, English: 0839415475, E-mail — contact@polymeradd.co.th



- **Eye Contact:** Rinse cautiously with clean water. Remove contact lenses. Seek medical advice if irritation persists.
- Ingestion: Rinse mouth. Non-toxic in small amounts. Seek medical help if discomfort occurs.

#### 5. Firefighting Measures

- Extinguishing Media: Foam, dry chemical, CO<sub>2</sub>, or water spray
- Fire Hazards: Combustible; may emit magnesium oxide, CO, and CO<sub>2</sub> upon thermal decomposition
- Protective Equipment: Use self-contained breathing apparatus and full protective gear

#### 6. Accidental Release Measures

- **Personal Precautions:** Avoid inhalation of dust. Use PPE such as gloves, goggles, and dust mask.
- Environmental Precautions: Avoid entry into drains or waterways.
- **Clean-Up Methods:** Sweep or vacuum without generating dust. Dispose in accordance with local regulations.

#### 7. Handling and Storage

- Handling: Avoid eye contact and inhalation of dust. Use in well-ventilated areas.
- **Storage:** Store in tightly sealed containers in a cool, dry, ventilated area away from moisture and ignition sources.
- Explosion Risk: Fine dust may form explosive mixtures with air under severe conditions.

#### 8. Exposure Controls / Personal Protection

Field	Information
OEL (TWA)	General dust limits: 10 mg/m³ (inhalable), 5 mg/m³ (respirable)
Engineering Controls	Provide local exhaust ventilation where dust is generated
PPE	Dust mask (P2), goggles, gloves
Environmental Controls	Prevent dust dispersion. Use appropriate containment measures

Office - 106, Chalaremprakiat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250
Factory - 188/3, Moo 8, Tambon Bangpu Mai, Amphoe Muang Samut Prakan, Samutprakan, Thailand 10280
Mobile - Thai: 0804531391, English: 0839415475, E-mail – contact@polymeradd.co.th



## 9. Physical and Chemical Properties

Property	Value
Appearance	White fine powder
Odour	Slight fatty odour
pH	Not applicable
Melting Point	~120 °C (decomposes)
Boiling Point	Not applicable
Flash Point	>200 °C
Flammability	Combustible
Vapour Pressure	Negligible
Relative Density	~1.0
Solubility in Water	Practically insoluble
Auto-Ignition Temperature	>400 °C
Decomposition Temperature	>250 °C
Explosive Properties	Dust explosion risk under extreme airborne conditions
Oxidizing Properties	None

#### 10. Stability and Reactivity

• Stability: Stable under normal handling and storage conditions

• Hazardous Reactions: None known

Incompatible Materials: Strong oxidizing agents, acids

Decomposition Products: Magnesium oxide, CO, CO<sub>2</sub>

## 11. Toxicological Information

Test	Result	
Oral LD <sub>50</sub> (rat)	>5000 mg/kg	
Skin Irritation	Not irritating	
Eye Irritation	May cause mechanical irritation	
Sensitization	Not expected	
Carcinogenicity	Not classified by IARC, NTP, or OSHA	

## 12. Ecological Information

Organism	Test	Result
Fish	LC <sub>50</sub> (96 h)	>1000 mg/L
Daphnia	EC <sub>50</sub> (48 h)	>1000 mg/L
Algae	EC <sub>50</sub> (72 h)	>1000 mg/L

**Conclusion:** Not expected to pose significant environmental hazard. Poorly soluble. Not readily biodegradable.

Office - 106, Chalaremprakiat, Lor 9, Soi 22, Yak 5, Nongbon, Prawet, Bangkok, Thailand 10250

Factory - 188/3, Moo 8, Tambon Bangpu Mai, Amphoe Muang Samut Prakan, Samutprakan, Thailand 10280

Mobile - Thai: 0804531391, English: 0839415475, E-mail – contact@polymeradd.co.th



#### 13. Disposal Considerations

- **Product Waste:** Dispose in accordance with local regulations. Not classified as hazardous.
- Contaminated Packaging: Rinse and reuse or dispose as per applicable laws.
- Waste Code (EU): 07 06 99 Wastes not otherwise specified

#### 14. Transport Information

Mode	Classification	Remarks
ADR/RID (Road/Rail)	Not regulated	Non-dangerous goods
IMDG (Sea)	Not regulated	Not a marine pollutant
ICAO/IATA (Air)	Not regulated	Not restricted
DOT (USA)	Not regulated	Not hazardous

#### 15. Regulatory Information

REACH: Exempt (inorganic compound)

CLP (EC No. 1272/2008): Not classified

• Inventories: Listed (TSCA, DSL, AICS, IECSC, ENCS, KECI, PICCS, NZIoC)

#### 16. Other Information - Magnesium Stearate (CAS 557-04-0)

SDS Version: 1.0 / 2025

Date of Preparation: July 2025

Reason for Issue: First SDS issued for micronized industrial grade

#### **Abbreviations:**

CAS - Chemical Abstracts Service

CLP - Classification, Labelling and Packaging

REACH – Registration, Evaluation, Authorisation and Restriction of Chemicals

LD<sub>50</sub> – Median Lethal Dose

EC<sub>50</sub> – Half Maximal Effective Concentration

#### Disclaimer:

This SDS is provided for safe handling, storage, and transport of the material. It does not constitute a product specification. Polymer Add (Thailand) Co., Ltd assumes no responsibility for misuse or handling outside of recommended use. Final responsibility remains with the user.